

DIBROM® 8 Emulsive

TO CONTROL LYGUS AND THRIPS IN SEED ALFALFA

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

EPA SLN No. ID-010017 EPA Reg. No. 5481-479

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

ALFALFA (SEED ONLY)

Lygus:

Apply 1 to 1½ pints per acre on 7-day interval.

Thrips:

Apply ½ pint per acre. Apply in 10 to 20 gallons if sprayed by ground

equipment or in 3 to 5 gallons if sprayed by air.

Use of this product according to this labeling is deemed a non-food use by the Idaho Department of Agriculture, and as such is not to be used on fields producing alfalfa for livestock feed. DO NOT feed or graze alfalfa treated with DIBROM. DO NOT cut treated alfalfa for hay or for forage, nor use harvested seed for sprouting. No portion of the treated field, including seed, seed screenings, hay, forage or stubble may be used for human or animal feed.

DO NOT expose bees to direct DIBROM application. DIBROM may be toxic to bees up to 12 hours after treatment. To minimize bee hazard during bloom, applications should be made at night before 11 PM. DO NOT apply if weather conditions favor dew formation the night of application.

*** * * * * ***

Follow all applicable directions, restrictions and precautions on the EPA-registered label.

This labeling must be in the possession of the users at the time of pesticide application.

24(c) Registrant(s):

AMVAC Chemical Corporation 4100 E. Washington Boulevard Los Angeles, CA 90023 U.S.A 1-888-GO AMVAC (462-6822)